(Page 1 of 3)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-9-412 Relating to Certification of New Motor Vehicles

CHRYSLER CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1999 model-year Chrysler Corporation exhaust emission control systems are certified as described below for passenger cars:

Emission Standard Category: Transitional Low-Emission Vehicle (TLEV)

Fuel Type: Gasoline

Engine Family: XCRXV0152V20 Displacement: 2.5 Liters (152 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Exhaust Gas Recirculation Three Way Catalytic Converter Heated Oxygen Sensors (two) Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The TLEV certification exhaust emission standards for this engine family in grams per mile are:

Miles	Non-Methane Organic Gas	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	Formaldehyde	Carbon <u>Monoxide (20°F)</u>
50,000	0.125	3.4	0.4	0.015	10.0
100,000	0.156	4.2	0.6	0.018	n/a

Reactivity Adjustment Factor (RAF) for NMOG Mass Emission: 0.98

The certification exhaust emission values set forth for non-methane organic gas (NMOG) reflect application of a 0.98 RAF for 1999 model-year TLEVs. The TLEV certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane Organic Gas	Carbon <u>Monoxide</u>	Nitrogen Oxides	<u>Formaldehyde</u>	Carbon Monoxide (20°F)
50,000 100,000	0.096 0.118	0.6	0.1 0.1	0.003	4.4 n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average NMOG exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the "California Refueling Emission Standards and Test Procedures for 1998 and Subsequent Model Motor Vehicles," Title 13, California Code of Regulations, Section 1978, and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 94

day of June 1998.

R. B. Summerfield, Chief

Mobile Source Operations Division

E.O.	#	A-9-412
		Page <u>l</u> of <u>l</u>

L999 MODEL	YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET	
	CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES	

Manufacturer: _	Chrysler Corpor	<u>ation</u> Exh E	ng Fam: <u>X</u> (CRXV015	<u>2V20</u> Evap F	am: <u>XCRXR</u>	0101G1C
וי Eng Codes i	n Eng Fam: CA X	49S	_ 50S	'AB96	5ORV	'R: YES <u>X</u>	_ NO
:h Std: CA Tie	er-1 TLEV <u>X</u>	LEV	_ ULEV	SUL	EV; US	EPA Tier-	1
Veh Class(es):	PC_X LDT1	LDT2	MDV1	_ MDV2	MDV3	MDV4	MDV5
Single Cert Std	I for Multi-Class	s Eng Fam: <u>N</u>	<u>/A</u> (Sr	ecify:	N/A, LDT1, M	IDV1. MDV2.	, MDV3, MDV4)
Fuel Type(s): D	edicated <u>X</u> Flo	ex-Fuel[Dual-Fuel_	Bi	-Leve1 Ga	soline <u>X</u>	Diesel
	CNGLNG_						
Emis Test Fuel(s): Indo CBC						
					13-90or	=	
Evaporative Emi	ssion Test Proce						
•	Std AMA					ecify)	
	dure: N/ASt						
	ation: <u>V-6</u> Dis						
	nder: 4						
•	Mid Rear						
=	EGR. MFI. TC.						. <u></u>
		(us	se abbrevi	ations	per SAE J193	0 JUN93)	
Engine Code	Vehicle Models	Trans. Type	ETW	DPA	Ignition	EGR	Catalyst
(also list	(if coded see	M5	or	or	(ECM/PCM)	System	Converter
ll CA/49ST/50ST)	attachment)	A4	Test Wt.	RLHP	Part No.	Part No.	Part No.
CA-100 (CA)	JACP41 JADP41	A4	3500	S E	04606439A8	04287646	04546254AC
ļ	OND! 41			E			
CA-300				٨			
CA-200	JXCH27	A4	3750	A T	04671637AD		
	JXCP27			T			
CA-400			Ì	A C			
				H		·	
			٠.	m E			·
				N			
,		:		l			
						'	·
	1		l		ļ		1 1

Date Issued: 01/28/98 Revisions:

VD02-SDS/99

ATTACHMENT TO SOS PAGE 1 OF EXECUTIVE ORDER A-9-412

~
2
ت
5
>
2
=
3
U
**
œ
F
x
_
U
cl
.=
Ξ
=
U
>

XCRXV0152V20	XCRXR010161C
Engine Family:	

	Engine Family:	XCRXV0152V20	Certificate #:
	Evaporative Fam:	XCRXR0101G1C	
Model 1D JACP41 JACP27 JACP27 JADP41	Car Line Cirrus Sebring Convertible Stratus	ible	California Sales

			PL=Neon Visian, Intrepid
coupe convertible sedan subcompact sedan	e S=Sport L=Low Line	er D≈Dodge P=Plymouth	ar Line JA=Cirrus, Stratus, Breeze JX=Sebring Convertible LH=Concorde, New Yorker, LHS, SR=Viper , PR=Prowler
Codes 41 Body Style 22=2 door 27=2 door 41*4 door 42*4 door	HERIGA Line	L,C=Chrysler X=Eagle	JA=Cirrus, JA=Cirrus, JX=Sebring LH=Concorde SR=Viper
A A			! !

...

* - For U.S. Possessions the nameplate will read Chrysler

. .

ATTACHMENT TO SDS PAGE 1 OF EXECUTIVE ORDER A-9-412	ADJUSTED LOADED VEHICLE WGT	OEFFICIENTS COAST TIRE A B C ALVA DOWN *DYNO PRES S 50 DEG WHEN NEEDED) ETW TIME HP F R
Chrysler Corporation Family Tire Usage	LOADED VEHICLE WEIGHT	COLD CO ELECTRIC DYNO CO TARGET A B C SET (LINE 1 IS 20 DEG COEFFS, LINE 2 I 40.40 0.02242 40.40 0.02242 45.08 0.02522 45.08 0.02522 45.08 0.02522 45.08 0.02522 45.08 0.02522 45.08 0.02522 45.08 0.02522 45.08 0.02522 45.08 0.02522 45.08 0.02522 45.08 0.02522
Chrys Lo Fami	•	11RE PRES PRES 30 30 30 30 30 30 30 30 30 30 30 30 30 3
	1	#PYNO F6.2 6.2 6.2 6.3 6.3 6.5 6.5 6.5
	1	COAST DOGN TIME 17.82 17.82 17.82 17.82 17.64 17.19 17.19 17.19
		TIRE DESCRIPTION USE YR COO WFG OPT STD 99 TNG TZH STD 99 TYP TZH OPT 99 TV4 TZH STD 99 TV4 TZH STD 99 TV4 TZH STD 99 TV4 TZH STD 99 TV4 TZH
		1 LW 3500 3500 3500 3500 3500 3750 3750
1999 x:8xV0152V20		A MKT MODEL ENG TRANS C GWA TYPE JACP41 EEB DGL FW Y 0 C JACP47 EEB DHD FW Y 0 C